

Architectural Characteristics of the Vernacular Floating Houses in the Lake Tempe Tourism area, South Sulawesi, Indonesia

Musfika Sari¹, Ria Wikantari² & Mohammad Mochsen Sir³

¹Master of Architecture Program, ²Department of Architecture, Hasanuddin University, Makassar, South Sulawesi, Indonesia

Author's email: musfikasari20@gmail.com

Received	Reviewed	Revised	Published
23.12.2023	13.01.2024	24.01.2023	31.01.2024

<https://doi.org/10.61275/ISVSej-2024-11-01-01>

Abstract

Floating houses are a form of vernacular housing for people living in coastal waters, lakes, and rivers in various parts of Indonesia. Living on the water and carrying out daily activities is the identity of a fishing community that is integrated with its environment. People living on the water create house structures that contribute to preventing climate change. Some districts in Indonesia use a bamboo raft house system, such as the floating vernacular dwelling in the Tempe Lake area in South Sulawesi. The Tempe Lake floating house functions as a place to live as well as a place to conduct economic activities. The mobile settlement with the floating house system in Tempe Lake has several specific characteristics as the hallmark of the building that can be compared with other floating houses. This study examines the visual and spatial characteristics of floating house buildings that still exist there today.

This research employs a qualitative approach using a naturalistic research method. It examines 11 floating houses in Tempe Lake as case studies employing observations and recording of physical details.

It reveals that the houses consist of raft foundations, columns, roofs, doors, windows, floors, walls, roofs, and latrines. Other characteristics include functions, organization, circulation, orientation and hierarchy. It concludes that there are three categories according to the these characteristics.

Keywords: Vernacular dwelling, Floating house, Visual characteristics, Spatial characteristics, Tempe Lake.

Introduction

Tempe Lake is a natural lake located in the island of Sulawesi with an area of approximately 350 km² which makes it the second largest lake in the Sulawesi Island and the eighth largest in Indonesia. It is rich in natural resources, especially fisheries, with various uses such as agriculture, fisheries, tourism, and water transportation services. Utilization of lake resources by the local community has been going on for a long time and has been passed down from generation to generation (Zamzani et al., 2022).

Communities around the lake, which are almost entirely fishermen and farmers, rely on the natural wealth of Tempe Lake to support their families. The activities of fishermen and farmers vary according to the seasons. During the rainy season, when the lake water is low, people usually work as fishermen to catch fish. When the lake water drops, people utilize the area around the lake to grow crops.

Lake Tempe covers three administrative areas: Wajo Regency, Sidrap Regency, and Soppeng Regency. With the division of the lake area, the largest is in the Wajo Regency, at 54.6%; Soppeng Regency, at 34.6%; and Sidenreng Regency, at 10.8% (Nawawi, 2018). Their locations are as shown in the Figure 1 below.



Fig. 1: Tempe Lake location
Source: Google Earth, 2023

The area of Tempe Lake is surrounded by seven sub-districts spread across three districts, including Tempe District, Belawa District, Tanasitolo District and Sabbangparu District in Wajo District, Donri-Donri and Marioriwana Districts in Soppeng District, and Pancalautang District in Sidenreng Rappang District, and covers 21 villages in total (Naing, 2018). This is a lake area with tributaries that are inhabited by many local people who depend on it for their daily lives.

According to Rapoport (1969) a house is a settlement process involving the production of spaces for activities and human behavior. Thus, a place in a residential environment can be adequately expressed if it is associated with the people who occupy it. He further emphasizes that a house demonstrates the ability of people to adapt themselves to the environment. As Ronald (2008) shows, it is related to the conditions of the physical environment and the ability to shape and build the house resulting in the emergence of variations in the concept and material changes in the place.

A house on stilts is one of the types of dwellings with a floor on a stage structure. It is supported by several poles that keep the building and pass the load to the ground. A house on stilts can stand on water with a part of the space underneath filled with water. In many parts of the world, houses on stilts over water can be found in coastal communities. Stilt houses can also stand on the ground with the space underneath empty. As Gao (1998) points out, houses on stilts on land are a typical characteristic of vernacular architecture in Southeast Asia to South China.

Floating houses in Tempe Lake are houses that are above the water in the form of buildings on stilts; They are floating and are not fixed (Suprijanto, 2000). They are selected as habitations because they can move around following the tides and water currents and employ the concept of a floating structure. Indeed, this concept is used as a substitute for land in the

construction of a building in addition to being an alternative pre-arrangement of the area besides reclamation. This is because the dwelling can float on the water (Putra & Triwilaswandio, 2017). Those who build them employ local wisdom that has been passed down from generation to generation.

Tempe Lake is an area where people engage in gardening, mining, and fishing, which form their livelihoods. In general, as one of the basic needs of people, a house provides accommodation and support or access to reach their work. In an area with water, building floating houses as places to live is a natural act. In fact, the fishing community of Tempe Lake have done so effortlessly and as a natural outcome of their surroundings. They usually call the house on this raft 'bola mawang' (bola = house and mawang = float or float) commonly called a floating house. However, they do not differ much between now and then, both in model, form and function. Only some modern materials have been used as a form of security from climatic influences and ease of maintenance (Naing, 2018).



Fig. 2: Floating House on Tempe Lake
Source: Author, 2023

The forms of the houses, especially those on stilts are generally based on functions and are adapted to the natural conditions surrounding them. The harmonious relationship between people and the surrounding environment becomes the controlling pattern of the relationship between the people and other people as well as people and Nature. Indeed, these relationships are well-articulated in the traditional houses. For example, one form of this relationship can be seen in the Bugis house in Tempe Lake, Wajo Regency.

Floating settlements in Tempe Lake, as shown in the Figure 2 are attractive destinations that many local and foreign tourists visit. It is because that the floating house is unique and some fascinating characteristics can be found related to them. Indeed, rows of floating houses occupied by the fishermen in the middle of the lake decorated with colorful flags produce an enchanting image. The patterns and the shapes of the floating houses reflect the culture of the traditional fishing community. The use of traditional techniques of the Tempe Lake are seductive. Moreover, Tempe Lake also has cultural values that are still highly upheld by the surrounding community. They are traditions and local wisdom in resource management, which are still maintained today (Irianti, Yusuf & Sartika, 2017).

According to the initial observations, floating houses in Wajo Regency now have 13 housing units, although there were 15 units before. One housing unit has been sold and 1 unit has been damaged. Only 11 units could be visited; two other houses are inaccessible. Thus, the floating houses are endangered because people tend to have more houses on land. Over time, the culture of floating houses along the Tempe Lake has declined. This is due to changes in activities and lifestyles on the mainland, where it is easier to get facilities and infrastructure for their settlements. There is also a decline in the economy of the people living in the Tempe Lake.

In this context, existing houses must be identified and the cultural heritage of the people of the Wajo Regency and its surroundings in terms of vernacular architecture must be documented. They have unique visual and spatial characteristics. This research aims explore these visual and spatial characteristics of the floating stilt houses in the Tempe Lake area. Its objectives are:

1. To identify the structural characteristics
2. To identify the spatial characteristics
3. To identify the visual characteristics.

Theoretical Framework

Vernacular is a local language; in architecture, this term refers to forms that apply elements of culture, and environment, including regional climate, expressed in the physical architectural form in terms of plan layout, structure, section details, ornaments, etc. (Sumalyo, 1993). The classification of them depends on the nature or characteristics of the buildings. There are many types each of which can be identified and placed in classifications by means of comparisons (Vidler, 1998).

characteristic of an object can differentiate it from other things. Every architectural object or work has characteristics that distinguish it from others. Buildings have visual and spatial characteristics which contribute to produce authenticity. *Optical characteristics* are attributes or features that differentiate an individual from other individuals or groups (Adenan et al., 2012). Thus, the visual character of architecture can differentiate floating architecture from other groups of buildings. Such visual characteristics include floors, roofs, exterior walls, doors, windows and building columns (Ridwan, 2015). Indicators that can be used to identify special characteristics include shape, material, texture, colour, ornamentation, and changes that occur (Fajarwati, 2011). According to Berry (1980), the overall visual character can be seen from the physical elements in the building, namely:

1. Shape or basic shape of the building
2. Formation of openings (doors and windows)
3. Roof with slope angle
4. Building materials
5. Markers on buildings
6. Colors in buildings
7. Vertical elements such as columns in buildings
8. Horizontal elements, such as beams seen in buildings

Space characteristics include space orientation, size, shape, barriers (barriers), components, and conditions (Hermanto 2008). Rapoport (1986) says that space can be formed from three things, namely:

1. By non-permanent elements, such as an activity carried out by someone and is more abstract.
2. By semi-fixed elements such as internal garden patterns and dividing walls), even furniture in a room
3. By fixed elements such as walls, floors and ceilings which include spatial organization, orientation, size, location and hierarchy.

The spatial characteristics of buildings include building orientation, spatial patterns, circulation flow and spatial orientation (Ceria, 2015). Spatial character of space can be seen from the composition formed by spatial organization and building orientation, with the principles of symmetrical design and rhythm (Fajarwati, 2011). For example, in floating architecture, length as sangkan-paran is defined as origin and destination. Sangka (direction of coming) and Paran (direction of going); in other words, the world is a space of travel, not just staying (Josef, 2009).

Review of Literature

A number of studies related to floating houses have been conducted focusing on architecture, and research on characteristics is a concept that many researchers have explored in the past. However, each study has a different scope, subject, and methodology. For example, Daryanto (2004) examines the floating houses on the water in terms of typologies, employing qualitative methods. He shows the differences between lanting houses in Martapura River Banjarmasin and in Danau Panggang District, based on building functions, building materials and roof shapes. From the aspect of building typology, it is reviewed based on the typology of form, typology of part and typology of style. Sudiyatama and Pramitasari (2019) look at the horizontal spaces of Bugis floating houses at Tempe Lake. Using a descriptive qualitative method, they explain that Bugis houses and floating houses on Tempe Lake have similarities in the division of horizontal space using the lontang system, but the function of each lontang in floating houses is different. They say that its placement is due to the location, which is not on land, and therefore, it must adapt to watery places or lakes. They also show that the primary user prioritizes the spatial arrangement that suits the owner without heeding the Bugis house method as the origin of the tribe who had settled in the Tempe Lake. However, they only explain the horizontal and vertical spaces of the building, and the analysis includes examining the spatial characteristics of floating houses. They do not present other spatial systems, such as space orientation, organization, and circulation

Similarly, Naing (2018) also looks at the Bugis tribe floating house. He uses a qualitative method and explains a shifting settlement in Tempe Lake with a floating house system with several specific characteristics. As he says, this settlement has a location arrangement that stays in one place at a particular time, and then moves at other times according to the water level conditions, climate change and settlement security. When the Tempe Lake overflows and flooding, and if the water level reaches the mainland, these settlements tend to occupy the location above the water by approaching the houses around the continent at the edge of the lake. However, after the water level of Tempe Lake began to fall to at least a height of 1 meter, it moves somewhat to the middle of the lake, where the water depth still allowed the house to flow on it. He examines the meso scope but does not explain in detail the micro size of the characteristics in all floating house units. He also describes and identifies all the floating house units that remain there today.

As can be seen, these studies discuss the floating houses in various ways, ranging from issues such as building typology, the concept of horizontal and vertical space of the building and the locations and movements. Although they have contributed to the discussion of Tempe Lake floating houses fruitfully, there is no research that study them at a micro level in terms of spatial and visual characteristics.

Research Methodology

The Location and Time of the Research

This research is carried out in a settlement on the water in Tempe Lake, South Sulawesi. Tempe Lake is located in three South Sulawesi Province districts: Wajo District, Sidrap District, and Soppeng District. The lake's most significant part (70%) is in the Wajo Regency. Getting to the floating vernacular dwelling can be through two directions: Pallimae Village in the Sabbangparu sub-district and Padduppa Village in the Tempe sub-district. This research was conducted over three months, from May 2023 to July 2023.




Fig. 3: Tempe Lake Area

Source: Author's analysis based on survey results in May-July 2023

Types and Methods of Research

This research employs a qualitative approach. Its aim is to explore the characteristics of vernacular floating houses in the Lake Tempe Tourism Area. It intends to contribute to maintaining and preserving the cultural and historical values that exist in the Tempe Lake Area.

It employs a naturalistic method consciously. To be natural, is not to manipulate, or regulate as in experiments or tests (Nasution, 2003). In other words, the research is conducted in a natural situation and a natural setting. It seeks to reveal the actual circumstances that may

be closed and hidden, caused by the existence of oral and written stories made by people before about real events in less tangible ways (Sukardi, 2006).

The unit of analysis in this study includes 11 floating houses in Tempe Lake. At the time of observation in the field, three houses were in the middle of the lake and eight houses were on the shore of the lake. However, this condition can change depending on weather. The focus of the observation are the visual and spatial characteristics of the floating buildings. It analyzes the visual and spatial characteristics of three samples. For visual characteristics, the indicators include raft foundations, floors, walls, poles, doors, windows, roofs and latrines. For the spatial characteristics the indicators include space functions, space organization, circulation, orientation and hierarchy.

Source and Types of Data

This research uses both primary data and secondary data. Primary data is collected by means of observations, interviews, field notes and documents. Secondary data is obtained from literature, internet sites related to the research conducted, related agencies, and past documentation obtained from the archives in the form of object data and data from affiliated agencies.

Data Collection Techniques

It employed four ways to collect data as follows:

1. **Direct observation:** Physically observing and monitoring ongoing events. The observation guideline is in the form of questions with free and structured answers that informants will answer as data sources related to the research.
2. **Record/literature analysis,** commonly referred to as literature study: This involves collecting theoretical literature data relevant to the research discussion and tracing published or unpublished scientific works in hard or soft copies in books (e-books), papers, and online journals.
3. **Documentation:** This involves collecting data through written relics, especially in the form of archives and including books regarding opinions and arguments. Documentation obtains data in the field by recording everything found.
4. **Interviews:** This involves direct communication between the researchers and the informants. Direct contact involves questions and answers in face-to-face interactions. Gestures of the interviewees complement verbal expressions. It uses purposive sampling, namely the purposive withdrawal of informants to determine fulfillment of specific criteria; the requirements are either the people of Wajo Regency or people who live in Tempe Lake and people who live around Tempe Lake. 13 people, consisting of 11 heads of families or residents who live in Tempe Lake and two who live close to Tempe Lake or have visited Tempe Lake, namely the Head of the RT and boat taxi drivers at Tempe Lake are interviewed.

Findings and the Discussion

Tempe Lake is located in South Sulawesi Province at the coordinates 119°53' - 120°04' East and 4°03' - 4°09' LS. It is located in a lowland, which is a place to accommodate the water of the Bila River, Walennae River, and small rivers around it, with the Cenranae River as the only river that flows out of the lake. Tempe Lake has an area of 13,750 hectares and is located in three administrative regions, namely Wajo, Soppeng and Sidrap regencies. The area of Tempe Lake is 286.43 km², which consists of 7 sub-districts, namely four sub-districts in Wajo District, one sub-district in Sidrap District, and two sub-districts in Soppeng District, and covers 21 villages in total.

Floating houses located in Tempe Lake are the residence of nomadic fishermen who do not settle in one place. They always move from place to place following the tides of the lake. During the dry season, some of Tempe Lake's waters dry up, so the floating settlements move to the center of the lake where there is still standing water. However, when the lake water level rises, they move closer to the land to the lake's edge. However, almost 80 percent

of their time is spent living in the floating houses, and only 20 percent is spent living on land. In other words, the fishermen build houses to accommodate all their activities to live on the water. In addition, the houses are also made to deal with the unpredictable climate and weather conditions on the lake. These things happen throughout the seasons. Some fishing communities prefer to live on the water for several reasons, such as the following:

1. It is a tradition passed down from parents.
2. Close to where they work and do their activities.
3. I still need a place/land to live on the mainland.

The shape of the Tempe Lake floating house follows the form of a Bugis stilt house on land. The main difference between floating houses and houses on the ground is the foundation of the building; houses on land use an umpak as the foundation, while Tempe Lake floating houses use a series of bamboo arranged like a raft as the basis. Another difference between houses on land and floating houses is the use of lower house poles compared to houses on stilts on the ground. Floating houses only have stakes as high as 40-50 cm connected to the raft as the foundation. Utilization of traditional technology in the construction of floating houses through a process of learning and experience for decades causes this settlement to survive in the environment of Tempe Lake. This year, the total number of floating houses is 13 units; 11 units are located in the Salotengnga Village area, while the other two units cannot be accessed.

Table 1: Number of dwellings at Tempe Lake in Salo Tengnga Village each year
Source: Wajo Regency Tourism Office, 2023

No.	Year	Number of Occupancy
1	2017	27
2	2018	25
3	2019	22
4	2020	20
5	2021	18
6	2022	19
7	2023	13

The decrease in the number of residential units in Tempe Lake from the previous year has been caused by the number of people who moved to the mainland. The house owner sold the house, and other houses were damaged. From the identification data of floating houses in the Table 2, 11 units of floating houses in Tempe Lake have almost similar visual appearances. The differences/variations found in 11 units of them are in terms of materials, such as on walls that adjust the homeowners want to use any material. The types of materials used vary, such as zinc, bamboo (Salima), woven bamboo and boards. The other difference is from the building area or size of the house in the Lake Tempe settlement because there are three variations in size obtained in the field, namely a small size house with a building area of 42m², medium size with a building area of 48m² and large size with a building area of 60m². Based on the identification data, the size of floating houses is divided into three categories that represent 1 sample. There are three samples that will be described fully. Each house represents a small, medium, and large size.

1. Small floating house (Pak Arifin)






Fig. 4: (a) Floating house plan, (b) Front view, (c) Side view, (d) Section
Source: Sari, 2023

2. Medium sized floating house (Pak Sukardi)




Fig. 5: (a) Floating house plan, (b) Front view, (c) Side view, (d) Section
Source: Sari, 2023

3. Large Floating House (Pak Noki)




Fig. 6: (a) Floating house plan, (b) Front view, (c) Side view, (d) Section
Source: Sari, 2023

The Figures above show that the houses in the Lake Tempe settlement in Salo Tenggara Village have several variations in terms of their visual and spatial characteristics. The visual characteristics identified are raft foundations, floors, walls, pillars, doors, windows, roofs, and latrines, while the spatial characteristics are space function, space organization, circulation, orientation, and hierarchy. Below, we will explain the visual and spatial characteristics of the Lake Tempe floating house.

Visual Characteristics of Lake Tempe Floating House Vernacular Architecture

The analysis of the visual characteristics of buildings in the Tempe Lake area, Wajo Regency in the three samples used, produced the following information.

1. Raft Foundation

In the Tempe Lake floating house, the material that forms the floating raft is bamboo. They are arranged based on the bamboo knowledge system and the tradition of house construction traditionally acquired by the community. Use of Bamboo is related to the availability of natural bamboo resources around the settlement to reduce construction costs and facilitate transportation. Bamboo is cut around the lake and floated or pulled by boats because it can save materials and transportation costs. Using local natural resources is environmentally-friendly. Each raft comprises 6-8 bundles, each of which contain 20-30 bamboo sticks. The amount of bamboo used to float a house depends on the size of it. Bamboo binding material is made of plastic rope or old tire rubber. Bamboo sticks, split bamboo (salima), and wooden planks are usually used for the raft cover material. The size of the raft foundation vary because it is adjusted to the size of each fisherman's/house needs.




Fig. 7: Illustration of a floating house raft foundation
Source: Sari, 2023

2. Building columns

Columns are generally made of rectangular wood with a 12 x 12 cm side size. In houses on stilts, the columns are placed on pedestals. Usually, the pole support is called *pellagra alibi*. However, in floating houses, the column structure system (*allure*) is supported by wooden beams or boards installed parallel to the row of poles. The purpose of the support beam is to prevent the column from coming into direct contact with the raft foundation so that the load is evenly distributed and the house poles that extend to the roof function to carry the roof load.



Fig. 8: Columns on a floating house
Source: Author documentation, 2023



Fig. 9: Pole shape and size (*alliri*)
Source: Sari, 2023

In the samples, there are variations in the poles of floating houses based on the number of bars of the whole house and the height of the poles of each sample, as shown in the figure below. The overall number of poles for tiny houses is 18 poles, while medium-sized houses have 24 bars, and large houses have 30 sticks with a pole size of 12 x 12cm from wood material.




Fig. 10: Floating house columns/poles, (a) small house, (b) medium house, (c) large house
Source: Sari, 2023

3. Doors

The spatial arrangement of floating houses is based on the activities of residents and is organized based on easy access to boats and economic activities. The house has two doors: one directly connecting the front porch (lego-lego) with the multipurpose room and one side door as the main entrance connecting the side porch with the kitchen; the side door is the main door on the floating house. In contrast, the front door is an additional door used to receive guests. The main entrance (side) has easy access to the kitchen, the place to dry fish, and the place to lean the boat. The place where the ship rests is located on the side of the raft near the main door because, in addition to making it easier for residents of the house to access the boat, it also facilitates the rotation of the house against the wind/current, so it is not against the wind. The doors mostly use bamboo or zinc material and generally measure 200 x 70cm.



Fig. 11: Location of the door to a small floating house
Source: Sari, 2023




Fig. 12: Location of the door to a medium sized floating house
Source: Sari, 2023




Fig. 13: The location of the large floating house door
Source: Sari, 2023

The placement of the main door on the side of the floating house is a process of adjusting the shape of the house with the accessibility of economic activities and the water climate, thus creating a unique house shape with the main door on the side of the house. The door material depends mainly on the material found on the wall; for example, if the fence is wooden, then the door is also made of the same material.

4. Floor

The floor of a floating house consists of beams of floor covering material using wooden planks or bamboo (salima). However, the current condition of the remaining dwellings only uses wooden planks. This board material is used because it is easy to find. Wood reduces cold air from below (water surface) in the gathering and resting area because wood can neutralize room temperature. The floor height in the kitchen or *lontang rilaleng* is different because it is lower than *lontang risaliweng*, *lontang ritengnga*. The placement of kitchen space is placed at the back of the floating house because it can be a source of odor that will affect the activities of the residents of the house, and this affects the spatial

arrangement in the place, which makes the floor height lower than the floors of other rooms in the house, as seen in Figure 14.




Fig. 14: Illustration of the floor height of a floating house
Source: Sari, 2023

5. Window (Tellongeng)

The use of windows in floating houses is different from dwellings on stilts in general because Tempe Lake floating houses usually avoid them. After all, the wind movement in the water area is quite strong, so most houses do not have windows. Of 11 housing units identified, only two houses have windows, one seen in the Figure 15.



Fig. 15: Floating house with windows
Source: Author documentation, 2023



Fig. 16: A floating house that has no windows
Source: Author documentation, 2023

Windows in floating houses only function as they should, only for air circulation. Those not having windows have walls with vents on the sides made with specific spacing arrangements. From the Figure 13, floating houses with a size of 45 x 80 cm have only aesthetic elements and get air and natural lighting because the windows of floating houses are not used as a symbol of the social status of their inhabitants.



Fig. 17: Illustration of a floating house with windows

Source: Sari, 2023

6. Roof

The roofs of the houses have the same roof model with the same slope. Generally, the roof slope is $\geq 45^\circ$. The shape of the roof affects the final form of the building, and ultimately, the condition also affects the facade and body of the building. This is due to the community's lack of knowledge of the traditions and rules of building Bugis traditional houses. It is called the Bugis roof model because its shape is the same as the roof pattern of traditional Bugis houses and the Sao Raja of the Bugis Kingdom, which is an equilateral triangle. As noted during the field observations, the roof model used is a gable roof. Most floating houses in Tempe Lake settlements do not use ornamental varieties at the end of the top. The roof covering material (Pabbingeng) generally uses zinc and nipa materials because it is considered adequate protection during the rainy season, is durable, and serves to protect the building from climate and weather influences.



Fig. 18: The shape of the floating roof of the house

Source: Author documentation, 2023




Fig. 19: Illustration of a roof construction system

Source: Sari, 2023

7. Wall (Renring)

The walls in a floating house can be classified as non-structural, meaning that they function only as weather protection and space dividers that do not receive building loads. The wall frame is installed between the house's columns with a simple nail/bond connection. The walls of the floating house function as a barrier and protect the occupants from hot and cold weather and strong winds.



Fig. 20: (a) Walls made of split bamboo (salima), (b) Walls made of zinc, (c) Walls made of woven bamboo

Source: Author documentation, 2023

Walls in Tempe Lake floating houses have several materials. However, they usually use Bamboo; there are two types depending on how it is made. Bamboo that is split and then clamped with other bamboo splits is usually called awo tetta or salima, while bamboo that is broken, sliced thinly and then woven is called gamacca or tabba. Several houses use wooden planks installed in a row using a gapit system.




Fig. 21: Material illustration on the wall of a small house

Source: Sari, 2023




Fig. 22: Material illustration on the wall of a medium sized house
Source: Sari, 2023




Fig. 23: Material illustration on a large house wall
Source: Sari, 2023

8. Toilet (Latrine)

Pit latrines/toilets in floating house settlements are square and roofless, with walls made of zinc, split bamboo, or just a piece of cloth. According to the local community, this sanitation system is an effective model for approximating the conditions of a mobile settlement. The natural sewage system is a biological treatment process based on accelerating the natural breakdown cycle so that bacterial activity in the water can stabilize the organic matter in the sewage. Using pipes and holding ponds for biological processes is impossible in the floating settlement area. Since the settlement system is constantly moving without a defined pattern, it isn't easy to design flexible piping that can proceed with the tides of the lake.

Observations in the field show that restrooms in floating houses have the same shape, but the only difference is the location of the toilet at the back of the floating house; some make the latrine in the left corner of the back side of the building and the right side of the building, besides that, there are floating houses that make the location of the restroom right at the back of the building which is tight to the kitchen wall.




Fig. 24: Illustration of the shape and size of a floating house latrine
Source: Sari, 2023

Spatial characteristics of Lake Tempe Floating House Vernacular Architecture

In addition to visual characteristics, there are also spatial characteristics resulting from the fact that the layout of settlements is not fixed or changing. These have been created based on adjustments to environmental conditions.

1. Space Function

In general, space functions as a place for activities. The formation of space in a floating house can be based on the family structure, which affects the layout and size of the house. For those with many family members, the house is usually large, and the spatial solution is suitable for the activities of many family members. Meanwhile, houses with few family members or, like most couples, only have a smaller house size and an interior layout intended for small family activities. The goal is maintaining economic cooperation relationships, such as fishermen and the residents' family relationships.

The floating house building is a residential house for fishermen who work and do activities on Tempe Lake. However, still, it is open to the public because Tempe Lake is a place for tourists to enjoy Nature and relaxation or the view. Floating houses with bamboo rafts as the base still have ± 70 cm of space between the raft and the floor of the house, which some floating residents can use as a place for fishing equipment for fishing, drying fish, chicken storage, boat storage, and daily necessities such as kitchen utensils, firewood, and others. The rafting area must be larger than the area of the floating house, which is intended as an activity area on the terrace/raft area to the left and right of the building and behind the floating house. The inner space of the floating house consists of a Lego-lego terrace, multipurpose room, bedroom, kitchen, and toilet located outside the building, precisely at the back of the building.




Fig. 25: Space Function (a) small house, (b) medium house, (c) large house

Source: Sari, 2023

2. Space Organization

The organization of space is formed from the activities of the actors (residents of the house) who are influenced by their culture and character. In addition, the organization of space is also formed according to the needs of the function of space and buildings. The organization of space is related to the circulation patterns in a building. Tempe Lake floating house has a linear spatial organization pattern because of its elongated nature (Figure 23). A linear organization consists of a series of spaces. Spaces that can be directly related to each

other or connected through a separate and distant linear area (Ching, 2008): A sequence in a line and repeating spaces. Linear means a straight line that organizes spaces in a row following the direction of the line. In linear spatial organization, space or time always refers to the linear sequence that becomes the benchmark. The organization of linear space, usually an example, is the road dividing and organizing the area.




Fig. 26: Space organization and circulation patterns (a) small house, (b) medium house, (c) large house
Source: Sari, 2023

3. Circulation

For circulation in the floating house building, there are two doors to the space inside the floating house. The main door is on the side of the building connecting the side terrace (raft area) with the kitchen, which facilitates activities inside the house or outside the house and access to the boat. The front door connecting the terrace (lego-lego) provides access to the multipurpose room.




Fig. 27: Illustration of a boat mooring next to the main door area
Source: Sari, 2023




Fig. 28: Circulation in floating houses
Source: Sari, 2023

In Figures 27 and 28, the boats of the fishermen or homeowners are located next to the raft area close to the main door on the side of the building because it facilitates circulation to the building if they want to enter the fish catch and others.

4. Orientation

The orientation of the floating house is always opposite to the wind direction. If the wind comes from the East, the house faces west. Similarly, the house faces East if the wind comes from the West. Seasonal changes affect the orientation of the house in general. The choice of location where the water level allows the house to remain floating is a minimum water level of 1 meter; the aim is to facilitate the sticking of one pole to the bottom of the lake as a point of tying the house because the Tempe Lake floating house is connected to one bar in front of the floating house or commonly called *Patto kalampang* so that the house can move when the wind hits and make the structure of the house more resistant and durable. A 5- to 10-meter-long rope is tied to a 5 (five meter) high pole so that the houses do not touch each other when the house turns to follow the wind direction. Due to the influence of currents and waves and wind deflection, the movement of the house changes irregularly over time. The position of the house with neighboring houses is still being determined; sometimes, the neighbor's place is in the front, on the side, or behind.

The orientation of space in the residential space of floating houses on Lake Tempe can be explained in terms of certain spaces. They are arranged linearly or oriented to an area: the sleeping room is always parallel to the multipurpose room and kitchen because the space orientation system is found in various activities of the inhabitants, as seen in the figure below.




Fig. 29: The spatial orientation of the floating house (a) small house, (b) medium house, (c) large house
Source: Sari, 2023

5. Space hierarchy

A spatial hierarchy can be seen from the layout, magnitude, and spatial form. Layout hierarchy can be divided into horizontal spatial and vertical spatial hierarchies. Vertically, the lower part (bottom) consists of a raft under the house. Usually, the front of the house (under the front porch) is used to raise chicken. The body of the house (ale bola) is used for living and economic activities. At the same time, the upper part (rakkeang) is used only as a place-to-place fishing equipment. The hierarchy intended here is derived from the zone. Where the zone is divided into two, only public and service zones exist because it adopts an open concept (open building). The general/public zone includes the living, gathering, resting, and production rooms. At the same time, the service zone is the kitchen and laundry room. The public/multipurpose room is located at the front and can function as a living room, resting/sleeping room, dining room, and space for production activities. The main activity in the house is the production process (economic activity). This can be done in the service zone, and the final approach can be done on a raft outside the floating house.




Fig. 30: Hierarchy of floating houses on Lake Tempe (a) small house, (b) medium house, (c) large house
Source: Sari, 2023

Conclusion

In terms of the identification carried out in terms of the visual and spatial characteristics of Lake Tempe floating houses, there are characteristics and some differences or variations. The 11 housing units are different and have differences in terms of visual and spatial characteristics. The visual characteristics of floating houses in Tempe Lake are composed of building elements: raft foundations, building columns, exterior walls, doors, windows, floors, roofs, and toilets/lavatories. These building elements are the shapers of the visual characteristics of the Tempe Lake floating houses and characterize the floating houses. Meanwhile, the spatial characteristics of the floating house are obtained from the function of space, space organization, circulation, orientation, and hierarchy in the building. The open concept applied to the floating house makes the utilization of each space more flexible and optimal. There are no functional restrictions for each room because each room can be used according to the use time.

References

- Adenan, K., Budi, B. S., & Wibowo, A. S. (2012) *Karakter Visual Arsitektur*. A.F. Aalbers' Works in Bandung. Retrieved from Indonesian Built Environment Journal Vol.1, No.1.
- Ceria, Agustina Putri, et al (2015) *Karakteristik Spasial Bangunan Stasiun Kereta Api Solo Jebres*. Student Journal of the Department of Architecture, Universitas Brawijaya, vol. 3 no. 4
- Ching, Francis D.K. (2008) *Arsitektur: Bentuk, Ruang & Tatanan*. Third Edition. Jakarta: Erlangga.
- Daryanto, Bambang. (2004) *Rumah Lanting : Rumah Terapung Diatas Air Tinjauan Aspek Tipologi Bangunan*. Lambung Mangkurat University. Scientific Journal Vol. 5, No. 2 Department of Youth, Sports, Culture & Tourism of Wajo Regency. 2023.
- Fajarwati, A. N., Antariksa, & Suryasari, N. (2011) *Pelestarian Bangunan Utama Eks Rumah Dinas Residen Kediri*. Architecture e-Journal. 4 (2): 55-70

- Gao, Y. (1998) The Dai vernacular house in South China: tradition and cultural development in the architecture of an ethnic minority. Doctoral dissertation. Edinburgh University.
- Harun, Dion Farhan. (2015) “*Karakter Visual Bangunan Masjid Tuo Kayu Jao di Sumatra Barat*”. Architecture e-Journal. Volume 8 Number 2
- Hermanto, H. (2008) Faktor-Faktor yang Berpengaruh terhadap Perubahan Fungsi Ruang di Serambi Pasar Induk Wonosobo. THESIS. Diponegoro University, Semarang
- Irianti, M. Yusuf K, Riska Aulia Sartika (2017) *Strategi Pengembangan Kawasan Danau Tempe Berbasis 3e (Education, Environment And Entrepreneur) Menuju Pariwisata Mandiri*. Muhammadiyah University of Makassar. PENA Journal Volume 3 Number 2 ISSN 2355-3766
- Naing, Naidah (2018) Rumah Mengapung Suku Bugis. Tribe. Nusa Cendekia Publisher, 1st printing, November 2018.
- Nasution (2003) Metode Penelitian Naturalistik Kualitatif. Bandung: Tarsito
- Nawawi, B. P. (2018) Analisis Resolusi Konflik Terhadap Pemanfaatan & Permasalahan Sumber Daya Danau Tempe di Kabupaten Wajo Sulawesi Selatan. Department of Government Affairs & Administration Jusuf Kalla School of Government Universitas Muhammadiyah Yogyakarta.
- Prijotomo, Josef, et al. (2009) “Ruang Diarsitektur Jawa: Sebuah Wacana” . Surabaya: Wastu Lanas Grafika.
- Putra, Rahmadi Putra and Triwilaswandio Wuruk Pribadi. (2016) *Perancangan Aplikasi Komputer Untuk Proses Manajemen Mutu pada Pembangunan Kapal Baru*. ITS Engineering Journal, No 5 (2), 129-135.
- Ronald, A. (2008) Kekayaan dan Kelenturan Arsitektur. Surakarta: Muhammadiyah University Press.
- Sudarwani1. M. Maria, et al. (2023) *The Architectural Character of Chinese Houses in the Chinatown in Semarang, Indonesia*. ISVS e-journal, Vol. 10, Issue 2
- Sudiyatama, Andi Farid & Diananta Pramitasari (2019) *Ruang Horizontal Rumah Bugis Pada Rumah Terapung Di Danau Tempe*. National Seminar. Applied Technology Innovation & Engineering (Snt2ir). Halu Oleo University Vocational Education Program. Proceedings Isbn: 978-602-51407-1-6
- Sukardi. (2006) Penelitian Kualitatif-Naturalistik dalam Pendidikan. Jakarta: Family Business.
- Sumalyo, Yulianto. (1993) Arsitektur Kolonial Belanda di Indonesia. Yogyakarta: Gadjah Mada University Press.
- Suprijanto, Iwan (2000) “*Perumahan di Atas Air di Indonesia*”, Proceedings of the National Seminar on Settlements FTSP ITS, Surabaya.
- Rapoport, Amos. 1980. “Cross-Cultural Aspect of Environmental Design”. Paper in Seminar on Design. Department of Architecture, Faculty of Engineering, Gajah Mada University, Yogyakarta.
- Rapoport, A. (1969) House Form & Culture. Englewood Cliffs, N.J.: Prentice Hall
- Vidler, Anthony. (1998) The Third Typology. Massachusetts: MIT Press
- Zamzani, Rezky Zamzan. Dian Aries Mujiburohman, M. Nazir Salim & Asih Retno Dewi (2022). *Kebijakan Penataan Ruang Dan Pemanfaatan Danau Tempe*. Journal of Human Resources Management, Administration and Public Services. Volume IX Number 2, 202